

## Starting point formulation – Lip stick – matte beauty

Lip stick with a rich pay-off and a velvet finish containing TIXOGEL-CCT as stabilizer and consistency providing agent. PURABYK-P 5541 SATIN leads to a matte effect.

### Formulation

Phase	Tradename	INCI	Supplier	Function	Dosage (%)
A	Kahlwax 2811 Rice	Oryza Sativa Bran Cera	Kahl	Consistency providing agent	4.00
	TIXOGEL-CCT	Caprylic/Capric Triglyceride, Stearalkonium Bentonite, Propylene Carbonate	BYK	Stabilizer, consistency providing agent	5.00
	Kahlwax 8104 White Beeswax	Cera Alba	Kahl	Consistency providing agent	4.50
	Myritol 318	Caprylic/Capric Triglyceride	BASF	Emollient	35.00
	Kahlwax 6607L MB Sunflower	Helianthus Annuus Seed Cera, Ascorbyl Palmitate, Tocopherol	Kahl	Consistency providing agent	4.00
	Biochemica Sweet Almond Oil	Prunus Amygdalus Dulcis Oil	Hallstar	Emollient	11.00
	Rizinusöl, raffiniert Ph Eur.	Ricinus Communis Seed Oil	Gustav Heess	Emollient	7.00
B	SunCROMA COD 8004	Ci 77499, Triethoxycaprylylsilane	Sun Chemical	Colorant	0.50
	SunCROMA COD 8006	Ci 77491, Triethoxycaprylylsilane	Sun Chemical	Colorant	7.50
	SunCROMA COD 8008	Ci 77891, Triethoxycaprylylsilane	Sun Chemical	Colorant	16.40
	PURABYK-P 5541 SATIN	Bentonite	BYK	Mattifying agent	5.00
C	Biochemica Vitamin E Natural	Tocopherol	Hallstar	Antioxidant	0.10
<b>Total</b>					<b>100.00</b>

#### Instructions (manufacturing procedure)

- Melt phase A at 90–95 °C. Add phase B and homogenize for 1 min.
- Cool to 85 °C and add phase C ingredients.
- Stir until homogeneous and fill into moulds.

#### Characteristic data

- Appearance: red-brown stick.
- Storage stability: 3 months at 40 °C.

TIXOGEL-CCT is a mastergel based on organically modified bentonite suspending pigments.

PURABYK-P 5541 SATIN is a natural bentonite providing mattifying properties.



Your local  
contact

**BYK-Chemie GmbH**  
Abelstraße 45  
46483 Wesel  
Germany  
Tel +49 281 670-0  
Fax +49 281 65735

[info@byk.com](mailto:info@byk.com)  
[www.byk.com](http://www.byk.com)

ADD-MAX®, ADD-VANCE®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK-AQUAGEL®, BYK-DYNWET®, BYK-MAX®, BYK-SILCLEAN®, BYKANOL®, BYKCARE®, BYKETOL®, BYKJET®, BYKOZBLOCK®, BYKONITE®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFAK®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERPLAST®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERPOL®, NANOBYK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, POLYAD®, PRIEX®, PURABYK®, PURE THIX®, RECYCLOBLEND®, RECYCLOBYK®, RECYCLOSSORB®, RECYCLOSTAB®, RHEOBYK®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL® and VISCOBYK® are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.

