

## Starting point formulation – Pigment concentrates for water-based flooring systems with DISPERBYK-2018

Position	Component	Supplier	Function	Pigment						
				Tioxide TR 92 Venator	Bayferrox 3920 Lanxess	Bayferrox 130 M Lanxess	Bayferrox 318 M Lanxess	Hansa Brilliant Yellow 2GX 70 Heubach	Novoperm Orange HL 70 Heubach	Irgazin Red 3660 HD BASF
				PW 6	PY 42	PR 101	77499	PY 74	PO 36	PR 254
1	Water		Solvent	30.47	36.80	27.66	36.80	36.12	43.82	33.91
2	Biocide		Preservative	0.10	0.10	0.10	0.10	0.10	0.10	0.10
3	BYK-1711	BYK	Defoamer	0.30	0.30	0.30	0.30	0.30	0.30	0.30
4	DISPERBYK-2018	BYK	Wetting and dispersing	1.93	7.40	11.54	7.21	23.08	17.31	30.29
5	RHEOBYK-7420 CA	BYK	Anti-settling	0.20	0.20	0.20	0.20	0.20	0.20	0.20
6	ASP 170	BASF	Filler	-	-	-	-	-	-	-
7	Pigment	See headline	Color	67.00	55.00	60.00	25.00	40.00	30.00	35.00
<b>Grinding</b>										
8	BYK-1711	BYK	Defoamer	-	0.20	0.20	0.20	0.20	0.20	0.20
9	Water		Solvent	-	-	-	30.19	-	8.07	-
<b>Total</b>				<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>

### Instructions

Premix position 1–4, add position 5 while stirring, add pigment and filler and disperse well (dissolver or beads are recommended), add position 8 and 9 under stirring.

### Characteristic data

Additive dosage (solids on pigment)

DISPERBYK-2018	1.50%	7.00%	10.00%	15.00%	30.00%	30.00%	45.00%
----------------	-------	-------	--------	--------	--------	--------	--------

## Starting point formulation – Pigment concentrates for water-based flooring systems with DISPERBYK-2018

Position	Component	Supplier	Function	Pigment				
				Hostaperm Pink E Heubach	Hostaperm Violet RL NF Heubach	Heliogen Blue L 7085 BASF	Heliogen Green L 8730 BASF	Raven Ultra II Birla Carbon
				PR 122	PV 23	PB 15:3	PG 7	PBk 7
1	Water		Solvent	43.80	43.82	43.82	32.29	44.70
2	Biocide		Preservative	0.10	0.10	0.10	0.10	0.10
3	BYK-1711	BYK	Defoamer	0.30	0.30	0.40	0.30	0.30
4	DISPERBYK-2018	BYK	Wetting and dispersing	13.27	5.77	15.38	23.07	10.80
5	RHEOBYK-7420 CA	BYK	Anti-settling	0.20	0.20	0.20	0.20	0.20
6	ASP 170	BASF	Filler	-	-	-	-	10.00
7	Pigment	See headline	Color	23.00	10.00	40.00	40.00	8.00
<b>Grinding</b>								
8	BYK-1711	BYK	Defoamer	0.20	0.20	0.10	0.20	0.10
9	Water		Solvent	19.13	39.61	-	3.84	25.80
<b>Total</b>				<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>

### Instructions

Premix position 1–4, add position 5 while stirring, add pigment and filler and disperse well (dissolver or beads are recommended), add position 8 and 9 under stirring.

### Characteristic data

Additive dosage (solids on pigment)

DISPERBYK-2018	30.00 %	30.00 %	20.00 %	30.00 %	70.00 %
----------------	---------	---------	---------	---------	---------

**BYK-Chemie GmbH**  
Abelstraße 45  
46483 Wesel  
Germany  
Tel +49 281 670-0  
Fax +49 281 65735

[info@byk.com](mailto:info@byk.com)  
[www.byk.com](http://www.byk.com)

ADD-MAX®, ADD-VANCE®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK-AQUAGEL®, BYK-DYNWET®, BYK-MAX®, BYK-SILCLEAN®, BYKANOL®, BYKCARE®, BYKETOL®, BYKJET®, BYKOZBLOCK®, BYKONITE®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFAK®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERPLAST®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERPOL®, NANOBYK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, POLYAD®, PRIEX®, PURABYK®, PURE THIX®, RECYCLOBLEND®, RECYCLOBYK®, RECYCLOSSORB®, RECYCLOSTAB®, RHEOBYK®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL® and VISCOBYK® are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.

